













TECHNICAL SPECIFICATIONS — GF-8 CRANE SYSTEM

#		Max. Euro-adapter height / Max. Mitchell plate height	Lift range	Arm reach	Length of rear end	Front extensions	Rear extensions	Lift capacity [working load]	Counterweight required for max. lift capacity	Transport weight excluding counterweight
VERSION 1		331 cm / 10' 10"	319 cm / 10' 6"	253 cm / 8' 4"	220 cm / 7' 2"	1 x 150 cm / 4' 11"	1 x 127 cm / 4' 2"	250 kg / 551 lbs	276 kg / 608 lbs	261 kg / 576 lbs
VERSION 2		412 cm / 13' 6"	481 cm / 15' 10"	351 cm / 11' 6"	220 cm / 7' 2"	1 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"	1 x 127 cm / 4' 2"	250 kg / 551 lbs	456 kg / 1005 lbs	285 kg / 629 lbs
VERSION 3		453 cm / 14' 10"	564 cm / 18' 6"	401 cm / 13' 2"	220 cm / 7' 2"	2 x 150 cm / 4' 11"	1 x 127 cm / 4' 2"	216 kg / 476 lbs	480 kg / 1058 lbs	291 kg / 642 lbs
VERSION 4		534 cm / 17' 6"	727 cm / 23' 10"	499 cm / 16' 4"	220 cm / 7' 2"	2 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"	1 x 127 cm / 4' 2"	150 kg / 331 lbs	480 kg / 1058 lbs	303 kg / 669 lbs
VERSION 5		576 cm / 18' 11"	809 cm / 26' 7"	549 cm / 18'	220 cm / 7' 2"	3 x 150 cm / 4' 11"	1 x 127 cm / 4' 2"	130 kg / 287 lbs	480 kg / 1058 lbs	309 kg / 682 lbs
VERSION 6		675 cm / 22' 2"	971 cm / 31' 10"	657 cm / 21' 7"	220 cm / 7' 2"	3 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"	1 x 127 cm / 4' 2"	80 kg / 176 lbs	420 kg / 926 lbs	312 kg / 687 lbs
VERSION 7		717 cm / 23' 6"	1054 cm / 34' 7"	707 cm / 23' 3"	220 cm / 7' 2"	4 x 150 cm / 4' 11"	1 x 127 cm / 4' 2"	80 kg / 176 lbs	476 kg / 1049 lbs	318 kg / 700 lbs
VERSION 8		798 cm / 26' 2"	1217 cm / 39' 11"	805 cm / 26' 5"	220 cm / 7' 2"	4 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"	1 x 127 cm / 4' 2"	50 kg / 110 lbs	480 kg / 1058 lbs	329 kg / 726 lbs
VERSION 9		361 cm / 11' 10"	319 cm / 10' 6"	253 cm / 8' 4"	220 cm / 7' 2"	1 x 150 cm / 4' 11"	1 x 127 cm / 4' 2"	250 kg / 551 lbs	276 kg / 608 lbs	272 kg / 601 lbs
VERSION 10		442 cm / 14' 5"	481 cm / 15' 10"	351 cm / 11' 6"	220 cm / 7' 2"	1 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"	1 x 127 cm / 4' 2"	250 kg / 551 lbs	456 kg / 1005 lbs	296 kg / 653 lbs
VERSION 11		483 cm / 15' 10"	564 cm / 18' 6"	401 cm / 13' 2"	220 cm / 7' 2"	2 x 150 cm / 4' 11"	1 x 127 cm / 4' 2"	216 kg / 476 lbs	480 kg / 1058 lbs	302 kg / 666 lbs
VERSION 12		564 cm / 18' 6"	727 cm / 23' 10"	499 cm / 16' 4"	220 cm / 7' 2"	2 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"	1 x 127 cm / 4' 2"	150 kg / 331 lbs	480 kg / 1058 lbs	314 kg / 693 lbs
VERSION 13		606 cm / 19' 10"	809 cm / 26' 7"	549 cm / 18'	220 cm / 7' 2"	3 x 150 cm / 4' 11"	1 x 127 cm / 4' 2"	130 kg / 287 lbs	480 kg / 1058 lbs	320 kg / 706 lbs
VERSION 14		705 cm / 23' 2"	971 cm / 31' 10"	657 cm / 21' 7"	220 cm / 7' 2"	3 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"	1 x 127 cm / 4' 2"	80 kg / 176 lbs	420 kg / 926 lbs	323 kg / 711 lbs
VERSION 15		747 cm / 24' 6"	1054 cm / 34' 7"	707 cm / 23' 3"	220 cm / 7' 2"	4 x 150 cm / 4' 11"	1 x 127 cm / 4' 2"	80 kg / 176 lbs	476 kg / 1049 lbs	329 kg / 725 lbs
VERSION 16		828 cm / 27' 2"	1217 cm / 39' 11"	805 cm / 26' 5"	220 cm / 7' 2"	4 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"	1 x 127 cm / 4' 2"	50 kg / 110 lbs	480 kg / 1058 lbs	340 kg / 750 lbs
VERSION 17		850 cm / 27' 11"	1261 cm / 41' 5"	832 cm / 27' 4"	243 cm / 7' 11"	4 x 150 cm / 4' 11" + 1 x 127 cm / 4' 2"	1 x 150 cm / 4' 11"	50 kg / 110 lbs	418 kg / 922 lbs	351 kg / 774 lbs
VERSION 18		931 cm / 30' 7"	1424 cm / 46' 8"	930 cm / 30' 6"	243 cm / 7' 11"	4 x 150 cm / 4' 11" + 1 x 127 cm / 4' 2" + 1 x 100 cm / 3' 3"	1 x 150 cm / 4' 11"	50 kg / 110 lbs	498 kg / 1098 lbs	362 kg / 799 lbs




DOLLY DIMENSIONS [IN MM]
[IDENTICAL FOR ALL VERSIONS]


WEIGHT – 112 kg / 247 lbs



CRANE MEASUREMENTS



VERSION 1



FRONT EXTENSIONS

1 x 150 cm / 4' 11"

REAR EXTENSIONS

1 x 127 cm / 4' 2"

MAX HEIGHT

331 cm / 10' 10"

LIFT RANGE

319 cm / 10' 6"

ARM REACH

253 cm / 8' 4"

LENGTH OF REAR END

220 cm / 7' 2"

PIVOT HEIGHT

154 cm / 5' 1"

LIFT CAPACITY

250 kg / 551 lbs

COUNTERWEIGHT REQUIRED

TO BALANCE EMPTY ARM

1.5 kg on platform

FOR MAX LIFT CAPACITY


276 kg / 608 lbs

TRANSPORT WEIGHT

[EXCL. COUNTERWEIGHT]

261 kg / 576 lbs

VERSION 2



FRONT EXTENSIONS

1 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"

REAR EXTENSIONS

1 x 127 cm / 4' 2"

MAX HEIGHT

412 cm / 13' 6"

LIFT RANGE

481 cm / 15' 10"

ARM REACH

351 cm / 11' 6"

LENGTH OF REAR END

220 cm / 7' 2"

PIVOT HEIGHT

154 cm / 5' 1"

LIFT CAPACITY

250 kg / 551 lbs

COUNTERWEIGHT REQUIRED

TO BALANCE EMPTY ARM

28 kg / 62 lbs

FOR MAX LIFT CAPACITY

456 kg / 1005 lbs


TRANSPORT WEIGHT

[EXCL. COUNTERWEIGHT]


285 kg / 629 lbs

All measurements in mm

VERSION 3



Horizontal position



Highest position

Lowest position



FRONT EXTENSIONS

2 x 150 cm / 4' 11"

REAR EXTENSIONS

1 x 127 cm / 4' 2"

MAX HEIGHT

453 cm / 14' 10"

LIFT RANGE

564 cm / 18' 6"

ARM REACH

401 cm / 13' 2"

LENGTH OF REAR END

220 cm / 7' 2"

PIVOT HEIGHT

154 cm / 5' 1"

LIFT CAPACITY

216 kg / 476 lbs

COUNTERWEIGHT REQUIRED

TO BALANCE EMPTY ARM

46 kg / 101 lbs

FOR MAX LIFT CAPACITY


480 kg / 1058 lbs

TRANSPORT WEIGHT


[EXCL. COUNTERWEIGHT]

291 kg / 642 lbs

VERSION 4



Horizontal position



Highest position

Lowest position



FRONT EXTENSIONS

2 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"

REAR EXTENSIONS

1 x 127 cm / 4' 2"

MAX HEIGHT

534 cm / 17' 6"

LIFT RANGE

727 cm / 23' 10"

ARM REACH

499 cm / 16' 4"

LENGTH OF REAR END

220 cm / 7' 2"

PIVOT HEIGHT

154 cm / 5' 1"

LIFT CAPACITY

150 kg / 331 lbs

COUNTERWEIGHT REQUIRED

TO BALANCE EMPTY ARM

88 kg / 194 lbs

FOR MAX LIFT CAPACITY

480 kg / 1058 lbs


TRANSPORT WEIGHT

[EXCL. COUNTERWEIGHT]


303 kg / 669 lbs

All measurements in mm

VERSION 5



Horizontal position



Highest position

Lowest position



FRONT EXTENSIONS
3 x 150 cm / 4' 11"

REAR EXTENSIONS
1 x 127 cm / 4' 2"

MAX HEIGHT
576 cm / 18' 11"

LIFT RANGE
809 cm / 26' 7"

ARM REACH
549 cm / 18'

LENGTH OF REAR END
220 cm / 7' 2"

PIVOT HEIGHT
154 cm / 5' 1"


LIFT CAPACITY
130 kg / 287 lbs

COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM
112 kg / 247 lbs


FOR MAX LIFT CAPACITY
480 kg / 1058 lbs

TRANSPORT WEIGHT [EXCL. COUNTERWEIGHT]
309 kg / 682 lbs

VERSION 6




Horizontal position



Highest position

Lowest position



FRONT EXTENSIONS
3 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"

REAR EXTENSIONS
1 x 127 cm / 4' 2"

MAX HEIGHT
675 cm / 22' 2"

LIFT RANGE
971 cm / 31' 10"

ARM REACH
657 cm / 21' 7"

LENGTH OF REAR END
220 cm / 7' 2"

PIVOT HEIGHT
154 cm / 5' 1"

LIFT CAPACITY
80 kg / 176 lbs

COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM
140 kg / 309 lbs



FOR MAX LIFT CAPACITY
420 kg / 926 lbs

TRANSPORT WEIGHT [EXCL. COUNTERWEIGHT]
312 kg / 687 lbs

All measurements in mm

VERSION 7

VERSION 8




FRONT EXTENSIONS 4 x 150 cm / 4' 11"	ARM REACH 707 cm / 23' 3"	COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM 172 kg / 379 lbs
REAR EXTENSIONS 1 x 127 cm / 4' 2"	LENGTH OF REAR END 220 cm / 7' 2"	FOR MAX LIFT CAPACITY 476 kg / 1049 lbs
MAX HEIGHT 717 cm / 23' 6"	PIVOT HEIGHT 154 cm / 5' 1"	TRANSPORT WEIGHT [EXCL. COUNTERWEIGHT] 318 kg / 700 lbs
LIFT RANGE 1054 cm / 34' 7"	LIFT CAPACITY 80 kg / 176 lbs	

FRONT EXTENSIONS 4 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"	ARM REACH 805 cm / 26' 5"	COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM 228 kg / 503 lbs
REAR EXTENSIONS 1 x 127 cm / 4' 2"	LENGTH OF REAR END 220 cm / 7' 2"	FOR MAX LIFT CAPACITY 480 kg / 1058 lbs
MAX HEIGHT 798 cm / 26' 2"	PIVOT HEIGHT 154 cm / 5' 1"	TRANSPORT WEIGHT [EXCL. COUNTERWEIGHT] 329 kg / 726 lbs
LIFT RANGE 1217 cm / 39' 11"	LIFT CAPACITY 50 kg / 110 lbs	

All measurements in mm

VERSION 9



FRONT EXTENSIONS

1 x 150 cm / 4' 11"

REAR EXTENSIONS

1 x 127 cm / 4' 2"

MAX HEIGHT

361 cm / 11' 10"

LIFT RANGE

319 cm / 10' 6"

ARM REACH

253 cm / 8' 4"

LENGTH OF REAR END

220 cm / 7' 2"

PIVOT HEIGHT

184 cm / 6'

LIFT CAPACITY

250 kg / 551 lbs

COUNTERWEIGHT REQUIRED

TO BALANCE EMPTY ARM

1.5 kg on platform

FOR MAX LIFT CAPACITY


276 kg / 608 lbs

TRANSPORT WEIGHT

[EXCL. COUNTERWEIGHT]

272 kg / 601 lbs

VERSION 10



FRONT EXTENSIONS

1 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"

REAR EXTENSIONS

1 x 127 cm / 4' 2"

MAX HEIGHT

442 cm / 14' 5"

LIFT RANGE

481 cm / 15' 10"

ARM REACH

351 cm / 11' 6"

LENGTH OF REAR END

220 cm / 7' 2"

PIVOT HEIGHT

184 cm / 6'

LIFT CAPACITY

250 kg / 551 lbs

COUNTERWEIGHT REQUIRED

TO BALANCE EMPTY ARM

28 kg / 62 lbs

FOR MAX LIFT CAPACITY

456 kg / 1005 lbs


TRANSPORT WEIGHT

[EXCL. COUNTERWEIGHT]


296 kg / 653 lbs

All measurements in mm

VERSION 11



Horizontal position



Highest position

Lowest position



FRONT EXTENSIONS
2 x 150 cm / 4' 11"

REAR EXTENSIONS
1 x 127 cm / 4' 2"

MAX HEIGHT
483 cm / 15' 10"

LIFT RANGE
564 cm / 18' 6"

ARM REACH
401 cm / 13' 2"

LENGTH OF REAR END
220 cm / 7' 2"

PIVOT HEIGHT
184 cm / 6'


LIFT CAPACITY
216 kg / 476 lbs

COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM
46 kg / 101 lbs


FOR MAX LIFT CAPACITY
480 kg / 1058 lbs

TRANSPORT WEIGHT (EXCL. COUNTERWEIGHT)
302 kg / 666 lbs

VERSION 12



Horizontal position



Highest position

Lowest position



FRONT EXTENSIONS
2 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"

REAR EXTENSIONS
1 x 127 cm / 4' 2"

MAX HEIGHT
564 cm / 18' 6"

LIFT RANGE
727 cm / 23' 10"

ARM REACH
499 cm / 16' 4"

LENGTH OF REAR END
220 cm / 7' 2"

PIVOT HEIGHT
184 cm / 6'

LIFT CAPACITY
150 kg / 331 lbs



COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM
88 kg / 194 lbs

FOR MAX LIFT CAPACITY
480 kg / 1058 lbs

TRANSPORT WEIGHT (EXCL. COUNTERWEIGHT)
314 kg / 693 lbs

All measurements in mm

VERSION 13



FRONT EXTENSIONS
3 x 150 cm / 4' 11"

REAR EXTENSIONS
1 x 127 cm / 4' 2"

MAX HEIGHT
606 cm / 19' 10"

LIFT RANGE
809 cm / 26' 7"

ARM REACH
549 cm / 18'

LENGTH OF REAR END
220 cm / 7' 2"

PIVOT HEIGHT
184 cm / 6'




LIFT CAPACITY
130 kg / 287 lbs

COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM
112 kg / 247 lbs

FOR MAX LIFT CAPACITY
480 kg / 1058 lbs

TRANSPORT WEIGHT [EXCL. COUNTERWEIGHT]
320 kg / 706 lbs

VERSION 14



FRONT EXTENSIONS
3 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"

REAR EXTENSIONS
1 x 127 cm / 4' 2"

MAX HEIGHT
705 cm / 23' 2"

LIFT RANGE
971 cm / 31' 10"

ARM REACH
657 cm / 21' 7"

LENGTH OF REAR END
220 cm / 7' 2"

PIVOT HEIGHT
184 cm / 6'

LIFT CAPACITY
80 kg / 176 lbs



COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM
140 kg / 309 lbs

FOR MAX LIFT CAPACITY
420 kg / 926 lbs

TRANSPORT WEIGHT [EXCL. COUNTERWEIGHT]
323 kg / 711 lbs



All measurements in mm

VERSION 15



	FRONT EXTENSIONS 4 x 150 cm / 4' 11"	ARM REACH 707 cm / 23' 3"	COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM 172 kg / 379 lbs
	REAR EXTENSIONS 1 x 127 cm / 4' 2"	LENGTH OF REAR END 220 cm / 7' 2"	FOR MAX LIFT CAPACITY 476 kg / 1049 lbs
	MAX HEIGHT 747 cm / 24' 6"	PIVOT HEIGHT 184 cm / 6'	TRANSPORT WEIGHT [EXCL. COUNTERWEIGHT] 329 kg / 725 lbs
	LIFT RANGE 1054 cm / 34' 7"	LIFT CAPACITY 80 kg / 176 lbs	


VERSION 16





	FRONT EXTENSIONS 4 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"	ARM REACH 805 cm / 26' 5"	COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM 228 kg / 503 lbs
	REAR EXTENSIONS 1 x 127 cm / 4' 2"	LENGTH OF REAR END 220 cm / 7' 2"	FOR MAX LIFT CAPACITY 480 kg / 1058 lbs
	MAX HEIGHT 828 cm / 27' 2"	PIVOT HEIGHT 184 cm / 6'	TRANSPORT WEIGHT [EXCL. COUNTERWEIGHT] 340 kg / 750 lbs
	LIFT RANGE 1217 cm / 39' 11"	LIFT CAPACITY 50 kg / 110 lbs	

All measurements in mm

VERSION 17



Horizontal position



FRONT EXTENSIONS
4 x 150 cm / 4' 11" + 1 x 127 cm / 4' 2"

REAR EXTENSIONS
1 x 150 cm / 4' 11"

MAX HEIGHT
850 cm / 27' 11"

LIFT RANGE
1261 cm / 41' 5"

ARM REACH
832 cm / 27' 4"

LENGTH OF REAR END
243 cm / 7' 11"

PIVOT HEIGHT
184 cm / 6'


LIFT CAPACITY
50 kg / 110 lbs

COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM
214 kg / 472 lbs



FOR MAX LIFT CAPACITY
418 kg / 922 lbs

TRANSPORT WEIGHT [EXCL. COUNTERWEIGHT]
351 kg / 774 lbs

VERSION 18



Horizontal position



FRONT EXTENSIONS
4 x 150 cm / 4' 11" + 1 x 127 cm / 4' 2" + 1 x 100 cm / 3' 3"

REAR EXTENSIONS
1 x 150 cm / 4' 11"

MAX HEIGHT
931 cm / 30' 7"

LIFT RANGE
1424 cm / 46' 8"

ARM REACH
930 cm / 30' 6"

LENGTH OF REAR END
243 cm / 7' 11"

PIVOT HEIGHT
184 cm / 6'

LIFT CAPACITY
50 kg / 110 lbs

COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM
270 kg / 595 lbs

FOR MAX LIFT CAPACITY
498 kg / 1098 lbs

TRANSPORT WEIGHT [EXCL. COUNTERWEIGHT]
362 kg / 799 lbs

All measurements in mm