










TECHNICAL SPECIFICATIONS — GF-MULTI JIB

#		Max. Mitchell plate height*	Lift range	Arm reach	Length of rear end	Front extensions	Rear extensions	Lift capacity [working load]	Counterweight required for max. lift capacity	Jib arm weight excluding counterweight & base dolly
V 1-300		433 cm / 14' 3"	539 cm / 17' 8"	335 cm / 11'	128 cm / 4' 2"	1 x 150 cm / 5' + 1 x 100 cm / 3' 3"	1 x 30 cm / 1'	54 kg / 119 lbs	252 kg / 556 lbs	50 kg / 111 lbs
V 2-300		478 cm / 15' 8"	628 cm / 20' 7"	385 cm / 12' 8"	128 cm / 4' 2"	2 x 150 cm / 5'	1 x 30 cm / 1'	43 kg / 95 lbs	252 kg / 556 lbs	54 kg / 118 lbs
V 3-300		523 cm / 17' 2"	718 cm / 23' 7"	435 cm / 14' 3"	128 cm / 4' 2"	2 x 150 cm / 5' + 1 x 50 cm / 1' 8"	1 x 30 cm / 1'	32 kg / 71 lbs	252 kg / 556 lbs	58 kg / 127 lbs
V 4-300		568 cm / 18' 8"	808 cm / 26' 6"	485 cm / 15' 11"	128 cm / 4' 2"	2 x 150 cm / 5' + 1 x 100 cm / 3' 3"	1 x 30 cm / 1'	25 kg / 55 lbs	252 kg / 556 lbs	60 kg / 132 lbs
V 1-500		371 cm / 12' 2"	414 cm / 13' 7"	265 cm / 8' 8"	148 cm / 4' 10"	1 x 150 cm / 5' + 1 x 30 cm / 1'	1 x 50 cm / 1' 8"	60 kg / 132 lbs	154 kg / 340 lbs	48 kg / 106 lbs
V 2-500		478 cm / 15' 8"	628 cm / 20' 7"	385 cm / 12' 8"	148 cm / 4' 10"	2 x 150 cm / 5'	1 x 50 cm / 1' 8"	59 kg / 130 lbs	252 kg / 556 lbs	55 kg / 120 lbs
V 3-500		505 cm / 16' 7"	682 cm / 22' 5"	415 cm / 13' 7"	148 cm / 4' 10"	2 x 150 cm / 5' + 1 x 30 cm / 1'	1 x 50 cm / 1' 8"	50 kg / 110 lbs	252 kg / 556 lbs	57 kg / 127 lbs
V 4-500		523 cm / 17' 2"	718 cm / 23' 7"	435 cm / 14' 3"	148 cm / 4' 10"	2 x 150 cm / 5' + 1 x 50 cm / 1' 8"	1 x 50 cm / 1' 8"	45 kg / 99 lbs	252 kg / 556 lbs	59 kg / 129 lbs
V 5-500		568 cm / 18' 8"	808 cm / 26' 6"	485 cm / 15' 11"	148 cm / 4' 10"	2 x 150 cm / 5' + 1 x 100 cm / 3' 3"	1 x 50 cm / 1' 8"	37 kg / 82 lbs	252 kg / 556 lbs	61 kg / 134 lbs
V 1-1000		505 cm / 16' 7"	682 cm / 22' 5"	415 cm / 13' 7"	198 cm / 6' 6"	2 x 150 cm / 5' + 1 x 30 cm / 1'	1 x 100 cm / 3' 3"	60 kg / 132 lbs	186 kg / 410 lbs	60 kg / 132 lbs
V 2-1000		523 cm / 17' 2"	718 cm / 23' 7"	435 cm / 14' 3"	198 cm / 6' 6"	2 x 150 cm / 5' + 1 x 50 cm / 1' 8"	1 x 100 cm / 3' 3"	60 kg / 132 lbs	196 kg / 432 lbs	61 kg / 134 lbs




* mounted on GF-8 base dolly

V 1-300



WIDTH OF RIGGING HARNESS 55 CM / 1' 10"



FRONT EXTENSIONS
1 x 150 cm / 5' + 1 x 100 cm / 3' 3"

REAR EXTENSIONS
1 x 30 cm / 1'

MAX HEIGHT*
433 cm / 14' 3"

LIFT RANGE
539 cm / 17' 8"

ARM REACH
335 cm / 11'

LENGTH OF REAR END
128 cm / 4' 2"

PIVOT HEIGHT*
155 cm / 5' 1"


LIFT CAPACITY
54 kg / 119 lbs

COUNTERWEIGHT REQUIRED
TO BALANCE EMPTY ARM
46 kg / 101 lbs
FOR MAX LIFT CAPACITY
252 kg / 556 lbs


JIB ARM WEIGHT
(EXCL. COUNTERWEIGHT & BASE DOLLY)
50 kg / 111 lbs

* mounted on GF-8 base dolly

V 2-300



WIDTH OF RIGGING HARNESS 55 CM / 1' 10"



FRONT EXTENSIONS
2 x 150 cm / 5'

REAR EXTENSIONS
1 x 30 cm / 1'

MAX HEIGHT*
478 cm / 15' 8"

LIFT RANGE
628 cm / 20' 7"

ARM REACH
385 cm / 12' 8"

LENGTH OF REAR END
128 cm / 4' 2"

PIVOT HEIGHT*
155 cm / 5' 1"

LIFT CAPACITY
43 kg / 95 lbs


COUNTERWEIGHT REQUIRED
TO BALANCE EMPTY ARM
70 kg / 154 lbs
FOR MAX LIFT CAPACITY
252 kg / 556 lbs

JIB ARM WEIGHT
(EXCL. COUNTERWEIGHT & BASE DOLLY)
54 kg / 118 lbs


* mounted on GF-8 base dolly

Measurements in mm, unless otherwise specified

V 3-300



WIDTH OF RIGGING HARNESS 55 CM / 1' 10"



FRONT EXTENSIONS
2 x 150 cm / 5' + 1 x 50 cm / 1' 8"

REAR EXTENSIONS
1 x 30 cm / 1'

MAX HEIGHT*
523 cm / 17' 2"

LIFT RANGE
718 cm / 23' 7"

ARM REACH
435 cm / 14' 3"

LENGTH OF REAR END
128 cm / 4' 2"

PIVOT HEIGHT*
155 cm / 5' 1"


LIFT CAPACITY
32 kg / 71 lbs

COUNTERWEIGHT REQUIRED
TO BALANCE EMPTY ARM
88 kg / 194 lbs
FOR MAX LIFT CAPACITY
252 kg / 556 lbs


JIB ARM WEIGHT
(EXCL. COUNTERWEIGHT & BASE DOLLY)
58 kg / 127 lbs

** mounted on GF-8 base dolly*

V 4-300



WIDTH OF RIGGING HARNESS 55 CM / 1' 10"



FRONT EXTENSIONS
2 x 150 cm / 5' + 1 x 100 cm / 3' 3"

REAR EXTENSIONS
1 x 30 cm / 1'

MAX HEIGHT*
568 cm / 18' 8"

LIFT RANGE
808 cm / 26' 6"

ARM REACH
485 cm / 15' 11"

LENGTH OF REAR END
128 cm / 4' 2"

PIVOT HEIGHT*
155 cm / 5' 1"

LIFT CAPACITY
25 kg / 55 lbs


COUNTERWEIGHT REQUIRED
TO BALANCE EMPTY ARM
110 kg / 243 lbs
FOR MAX LIFT CAPACITY
252 kg / 556 lbs

JIB ARM WEIGHT
(EXCL. COUNTERWEIGHT & BASE DOLLY)
60 kg / 132 lbs


** mounted on GF-8 base dolly*

Measurements in mm, unless otherwise specified

V 1-500



WIDTH OF RIGGING HARNESS 55 CM / 1' 10"



FRONT EXTENSIONS
1 x 150 cm / 5' + 1 x 30 cm / 1'

REAR EXTENSIONS
1 x 50 cm / 1' 8"

MAX HEIGHT*
371 cm / 12' 2"

LIFT RANGE
414 cm / 13' 7"

ARM REACH
265 cm / 8' 8"

LENGTH OF REAR END
148 cm / 4' 10"

PIVOT HEIGHT*
155 cm / 5' 1"


LIFT CAPACITY
60 kg / 132 lbs

COUNTERWEIGHT REQUIRED
TO BALANCE EMPTY ARM
14 kg / 31 lbs
FOR MAX LIFT CAPACITY
154 kg / 340 lbs


JIB ARM WEIGHT
(EXCL. COUNTERWEIGHT & BASE DOLLY)
48 kg / 106 lbs

** mounted on GF-8 base dolly*

V 2-500



WIDTH OF RIGGING HARNESS 55 CM / 1' 10"



FRONT EXTENSIONS
2 x 150 cm / 5'

REAR EXTENSIONS
1 x 50 cm / 1' 8"

MAX HEIGHT*
478 cm / 15' 8"

LIFT RANGE
628 cm / 20' 7"

ARM REACH
385 cm / 12' 8"

LENGTH OF REAR END
148 cm / 4' 10"

PIVOT HEIGHT*
155 cm / 5' 1"

LIFT CAPACITY
59 kg / 130 lbs


COUNTERWEIGHT REQUIRED
TO BALANCE EMPTY ARM
50 kg / 110 lbs
FOR MAX LIFT CAPACITY
252 kg / 556 lbs

JIB ARM WEIGHT
(EXCL. COUNTERWEIGHT & BASE DOLLY)
55 kg / 120 lbs


** mounted on GF-8 base dolly*

Measurements in mm, unless otherwise specified

V 3-500




WIDTH OF RIGGING HARNESS 55 CM / 1' 10"




FRONT EXTENSIONS 2 x 150 cm / 5' + 1 x 30 cm / 1'	ARM REACH 415 cm / 13' 7"	COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM 60 kg / 132 lbs FOR MAX LIFT CAPACITY 252 kg / 556 lbs
REAR EXTENSIONS 1 x 50 cm / 1' 8"	LENGTH OF REAR END 148 cm / 4' 10"	JIB ARM WEIGHT (EXCL. COUNTERWEIGHT & BASE DOLLY) 57 kg / 127 lbs
MAX HEIGHT* 505 cm / 16' 7"	PIVOT HEIGHT* 155 cm / 5' 1"	
LIFT RANGE 682 cm / 22' 5"	LIFT CAPACITY 50 kg / 110 lbs	<i>* mounted on GF-8 base dolly</i>

V 4-500




WIDTH OF RIGGING HARNESS 55 CM / 1' 10"




FRONT EXTENSIONS 2 x 150 cm / 5' + 1 x 50 cm / 1' 8"	ARM REACH 435 cm / 14' 3"	COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM 64 kg / 141 lbs FOR MAX LIFT CAPACITY 252 kg / 556 lbs
REAR EXTENSIONS 1 x 50 cm / 1' 8"	LENGTH OF REAR END 148 cm / 4' 10"	JIB ARM WEIGHT (EXCL. COUNTERWEIGHT & BASE DOLLY) 59 kg / 129 lbs
MAX HEIGHT* 523 cm / 17' 2"	PIVOT HEIGHT* 155 cm / 5' 1"	
LIFT RANGE 718 cm / 23' 7"	LIFT CAPACITY 45 kg / 99 lbs	<i>* mounted on GF-8 base dolly</i>

Measurements in mm, unless otherwise specified

V 5-500



WIDTH OF RIGGING HARNESS 55 CM / 1' 10"



FRONT EXTENSIONS
2 x 150 cm / 5' + 1 x 100 cm / 3' 3"

REAR EXTENSIONS
1 x 50 cm / 1' 8"

MAX HEIGHT*
568 cm / 18' 8"

LIFT RANGE
808 cm / 26' 6"

ARM REACH
485 cm / 15' 11"

LENGTH OF REAR END
148 cm / 4' 10"

PIVOT HEIGHT*
155 cm / 5' 1"

LIFT CAPACITY
37 kg / 82 lbs


COUNTERWEIGHT REQUIRED
TO BALANCE EMPTY ARM
82 kg / 181 lbs
FOR MAX LIFT CAPACITY
252 kg / 556 lbs

JIB ARM WEIGHT
(EXCL. COUNTERWEIGHT & BASE DOLLY)
61 kg / 134 lbs


* mounted on GF-8 base dolly

Measurements in mm, unless otherwise specified

V 1-1000



WIDTH OF RIGGING HARNESS 55 CM / 1' 10"



FRONT EXTENSIONS
2 x 150 cm / 5' + 1 x 30 cm / 1'

REAR EXTENSIONS
1 x 100 cm / 3' 3"

MAX HEIGHT*
505 cm / 16' 7"

LIFT RANGE
682 cm / 22' 5"

ARM REACH
415 cm / 13' 7"

LENGTH OF REAR END
198 cm / 6' 6"

PIVOT HEIGHT*
155 cm / 5' 1"


LIFT CAPACITY
60 kg / 132 lbs

COUNTERWEIGHT REQUIRED
TO BALANCE EMPTY ARM
32 kg / 71 lbs
FOR MAX LIFT CAPACITY
186 kg / 410 lbs


JIB ARM WEIGHT
(EXCL. COUNTERWEIGHT & BASE DOLLY)
60 kg / 132 lbs

** mounted on GF-8 base dolly*

V 2-1000



WIDTH OF RIGGING HARNESS 55 CM / 1' 10"



FRONT EXTENSIONS
2 x 150 cm / 5' + 1 x 50 cm / 1' 8"

REAR EXTENSIONS
1 x 100 cm / 3' 3"

MAX HEIGHT*
523 cm / 17' 2"

LIFT RANGE
718 cm / 23' 7"

ARM REACH
435 cm / 14' 3"

LENGTH OF REAR END
198 cm / 6' 6"

PIVOT HEIGHT*
155 cm / 5' 1"

LIFT CAPACITY
60 kg / 132 lbs

COUNTERWEIGHT REQUIRED
TO BALANCE EMPTY ARM
36 kg / 79 lbs
FOR MAX LIFT CAPACITY
196 kg / 432 lbs

JIB ARM WEIGHT
(EXCL. COUNTERWEIGHT & BASE DOLLY)
61 kg / 134 lbs

** mounted on GF-8 base dolly*

Measurements in mm, unless otherwise specified