











TECHNICAL SPECIFICATIONS — GF-8 XTEN CRANE SYSTEM


#		Max. Euro-adapter height / Max. Mitchell plate height	Lift range	Arm reach	Length of rear end	Front extensions	Rear extensions	Lift capacity [working load]	Counterweight required for max. lift capacity	Transport weight excluding counterweight
VERSION XTEN 1		483 cm / 15' 10"	564 cm / 18' 6"	401 cm / 13' 2"	253 cm / 8' 4"	2 x 150 cm / 4' 11"	1 x 160 cm / 5' 3"	250 kg / 551 lbs	456 kg / 1005 lbs	315 kg / 694 lbs
VERSION XTEN 2		564 cm / 18' 6"	727 cm / 23' 10"	499 cm / 16' 4"	253 cm / 8' 4"	2 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"	1 x 160 cm / 5' 3"	240 kg / 529 lbs	586 kg / 1292 lbs	332 kg / 733 lbs
VERSION XTEN 3		687 cm / 22' 6"	971 cm / 31' 10"	647 cm / 21' 3"	253 cm / 8' 4"	3 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"	1 x 160 cm / 5' 3"	170 kg / 375 lbs	600 kg / 1323 lbs	351 kg / 774 lbs
VERSION XTEN 4		728 cm / 23' 11"	1054 cm / 34' 7"	697 cm / 22' 10"	253 cm / 8' 4"	4 x 150 cm / 4' 11"	1 x 160 cm / 5' 3"	140 kg / 309 lbs	600 kg / 1323 lbs	359 kg / 790 lbs
VERSION XTEN 5		869 cm / 28' 6"	1299 cm / 42' 8"	855 cm / 28' 1"	253 cm / 8' 4"	5 x 150 cm / 4' 11"	1 x 160 cm / 5' 3"	80 kg / 176 lbs	526 kg / 1160 lbs	367 kg / 809 lbs
VERSION XTEN 6		950 cm / 31' 2"	1462 cm / 47' 11"	953 cm / 31' 3"	253 cm / 8' 4"	5 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"	1 x 160 cm / 5' 3"	70 kg / 154 lbs	588 kg / 1296 lbs	378 kg / 834 lbs
VERSION XTEN 7		973 cm / 31' 11"	1506 cm / 49' 5"	980 cm / 32' 2"	253 cm / 8' 4"	5 x 150 cm / 4' 11" + 1 x 127 cm / 4' 2"	1 x 160 cm / 5' 3"	65 kg / 143 lbs	602 kg / 1327 lbs	383 kg / 843 lbs
VERSION XTEN 8		1054 cm / 34' 7"	1660 cm / 54' 6"	1078 cm / 35' 4"	253 cm / 8' 4"	5 x 150 cm / 4' 11" + 1 x 127 cm / 4' 2" + 1 x 100 cm / 3' 3"	1 x 160 cm / 5' 3"	50 kg / 110 lbs	602 kg / 1327 lbs	394 kg / 869 lbs



VERSION XTEN 1



Horizontal position



Highest position

Lowest position



FRONT EXTENSIONS
2 x 150 cm / 4' 11"

REAR EXTENSIONS
1 x 160 cm / 5' 3"

MAX HEIGHT
483 cm / 15' 10"

LIFT RANGE
564 cm / 18' 6"

ARM REACH
401 cm / 13' 2"

LENGTH OF REAR END
253 cm / 8' 4"

PIVOT HEIGHT
184 cm / 6'


LIFT CAPACITY
250 kg / 551 lbs

COUNTERWEIGHT REQUIRED
TO BALANCE EMPTY ARM
28 kg / 62 lbs


FOR MAX LIFT CAPACITY
456 kg / 1005 lbs

TRANSPORT WEIGHT
(EXCL. COUNTERWEIGHT)
315 kg / 694 lbs

VERSION XTEN 2



Horizontal position



Highest position

Lowest position



FRONT EXTENSIONS
2 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"

REAR EXTENSIONS
1 x 160 cm / 5' 3"

MAX HEIGHT
564 cm / 18' 6"

LIFT RANGE
727 cm / 23' 10"

ARM REACH
499 cm / 16' 4"

LENGTH OF REAR END
253 cm / 8' 4"

PIVOT HEIGHT
184 cm / 6'

LIFT CAPACITY
240 kg / 529 lbs


COUNTERWEIGHT REQUIRED
TO BALANCE EMPTY ARM
64 kg / 141 lbs

FOR MAX LIFT CAPACITY
586 kg / 1292 lbs


TRANSPORT WEIGHT
(EXCL. COUNTERWEIGHT)
332 kg / 733 lbs

All measurements in mm

VERSION XTEN 3



Horizontal position



Highest position

Lowest position



FRONT EXTENSIONS

3 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"

REAR EXTENSIONS

1 x 160 cm / 5' 3"

MAX HEIGHT

687 cm / 22' 6"

LIFT RANGE

971 cm / 31' 10"

ARM REACH

647 cm / 21' 3"

LENGTH OF REAR END

253 cm / 8' 4"

PIVOT HEIGHT

184 cm / 6'

LIFT CAPACITY

170 kg / 375 lbs

COUNTERWEIGHT REQUIRED

TO BALANCE EMPTY ARM

130 kg / 287 lbs

FOR MAX LIFT CAPACITY


600 kg / 1323 lbs

TRANSPORT WEIGHT


[EXCL. COUNTERWEIGHT]

351 kg / 774 lbs

VERSION XTEN 4



Horizontal position



Highest position

Lowest position



FRONT EXTENSIONS

4 x 150 cm / 4' 11"

REAR EXTENSIONS

1 x 160 cm / 5' 3"

MAX HEIGHT

728 cm / 23' 11"

LIFT RANGE

1054 cm / 34' 7"

ARM REACH

697 cm / 22' 10"

LENGTH OF REAR END

253 cm / 8' 4"

PIVOT HEIGHT

184 cm / 6'

LIFT CAPACITY

140 kg / 309 lbs

COUNTERWEIGHT REQUIRED

TO BALANCE EMPTY ARM

154 kg / 340 lbs

FOR MAX LIFT CAPACITY

600 kg / 1323 lbs



TRANSPORT WEIGHT

[EXCL. COUNTERWEIGHT]

359 kg / 790 lbs

All measurements in mm

VERSION XTEN 5



FRONT EXTENSIONS
5 x 150 cm / 4' 11"

REAR EXTENSIONS
1 x 160 cm / 5' 3"

MAX HEIGHT
869 cm / 28' 6"

LIFT RANGE
1299 cm / 42' 8"

ARM REACH
855 cm / 28' 1"

LENGTH OF REAR END
253 cm / 8' 4"

PIVOT HEIGHT
184 cm / 6'



LIFT CAPACITY
80 kg / 176 lbs

COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM
214 kg / 472 lbs

FOR MAX LIFT CAPACITY
526 kg / 1160 lbs

TRANSPORT WEIGHT [EXCL. COUNTERWEIGHT]
367 kg / 809 lbs

VERSION XTEN 6



FRONT EXTENSIONS
5 x 150 cm / 4' 11" + 1 x 100 cm / 3' 3"

REAR EXTENSIONS
1 x 160 cm / 5' 3"

MAX HEIGHT
950 cm / 31' 2"

LIFT RANGE
1462 cm / 47' 11"

ARM REACH
953 cm / 31' 3"

LENGTH OF REAR END
253 cm / 8' 4"

PIVOT HEIGHT
184 cm / 6'

LIFT CAPACITY
70 kg / 154 lbs


COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM
266 kg / 586 lbs

FOR MAX LIFT CAPACITY
588 kg / 1296 lbs

TRANSPORT WEIGHT [EXCL. COUNTERWEIGHT]
378 kg / 834 lbs

All measurements in mm

VERSION XTEN 7



FRONT EXTENSIONS
5 x 150 cm / 4' 11" + 1 x 127 cm / 4' 2"

REAR EXTENSIONS
1 x 160 cm / 5' 3"

MAX HEIGHT
973 cm / 31' 11"

LIFT RANGE
1506 cm / 49' 5"

ARM REACH
980 cm / 32' 2"

LENGTH OF REAR END
253 cm / 8' 4"

PIVOT HEIGHT
184 cm / 6'


LIFT CAPACITY
65 kg / 143 lbs

COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM
288 kg / 635 lbs

FOR MAX LIFT CAPACITY
602 kg / 1327 lbs

TRANSPORT WEIGHT [EXCL. COUNTERWEIGHT]
383 kg / 843 lbs

VERSION XTEN 8



FRONT EXTENSIONS
5 x 150 cm / 4' 11" + 1 x 127 cm / 4' 2" + 1 x 100 cm / 3' 3"

REAR EXTENSIONS
1 x 160 cm / 5' 3"

MAX HEIGHT
1054 cm / 34' 7"

LIFT RANGE
1660 cm / 54' 6"

ARM REACH
1078 cm / 35' 4"

LENGTH OF REAR END
253 cm / 8' 4"

PIVOT HEIGHT
184 cm / 6'

LIFT CAPACITY
50 kg / 110 lbs

COUNTERWEIGHT REQUIRED TO BALANCE EMPTY ARM
350 kg / 772 lbs

FOR MAX LIFT CAPACITY
602 kg / 1327 lbs

TRANSPORT WEIGHT [EXCL. COUNTERWEIGHT]
394 kg / 869 lbs

All measurements in mm